

MH042

Modal Stretch 360°
100S Micro Modal Air
 100支天然超細輕柔木代爾
-Natural Fiber-
KH-12207(SS)(CS)
 高彈超細木代爾織物
 優於一般木代爾
 原料來自灌木林
 Extracted from beechwood

MODAL STRETCH 360°
 AMAZING SHAPES
 GOOD RECOVERY
 SOFT HANDFEEL
 4-WAY STRETCH

MODAL STRETCH 360°


高彈性及高回彈力
 Excellent Stretchability and Elongation
 手感輕柔
 Soft & Light
 起毛球性低
 Good Pilling Resistance
 懸垂性好
 Good Drapeability
 透氣性能好
 Good Breathability
 穩定性好，縮水率低
 Dimensionally Stable with Low Shrinkage Rate

Pilling Resistance:
Grade 4
 ASTM D3512 (30 mins)

Shrinkage:
Length: 4%
Width: 4%
 (ISO 6330, 5A, 40°C, line dry)

High Stretch:
 Exceeds dimensional limitation of tester
 (ASTM D3786, Mullen C)

Suggested Style:



MH053

SUN HING
 超細致輕柔尼龍雙拉
SH-11981FW
80% Nylon, 20% Elastane
61"x110g/m²
 高彈尼龍織物
 手感彈性優於一般尼龍
 Better than Normal nylon fabric
 織造結構
 Knitting Structure

360°
 AMAZING SHAPES
 GOOD RECOVERY
 SOFT HANDFEEL
 4-WAY STRETCH

ONE SIZE FITS ALL
NYLON STRETCH 360°

高彈性及高回彈力
 Excellent Stretchability and Elongation
 手感輕柔
 Soft & Light
 起毛球性低
 Good Pilling Resistance
 懸垂性好
 Good Drapeability
 透氣性能好
 Good Breathability
 穩定性好，縮水率低
 Dimensionally Stable with Low Shrinkage Rate

CHARACTERISTIC OF LINGERIE MADE BY SH-11981FW

GENTLE STRETCHABILITY

NO squeezing fat !!!

24
 HOUR
 COMFORT

GIVE YOU A SMOOTHEST SILHOUETTE & ADVANCED COMFORT !

SUPER FIT: STRETCH 360°

Elongation & Modulus & Recovery

#	Elongation	Modulus			Recovery
		30%	50%	70%	
Warp	202%	0.34Lbs	0.60Lbs	0.84Lbs	96%
Weft	364%	0.08Lbs	0.24Lbs	0.37Lbs	93%

(ASTM D 4964, 8.8 Lbs/3", Zwick tensile tester)



MH196

加強版
ENHANCED 360° STRETCH 高彈
NYLON 尼龍

Unique 360° stretch construction delivers superior mobility & all-day Comfort
獨特的360°彈性結構使布料擁有卓越的貼服力及舒適度

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Second Skin Softness
柔軟材質親膚舒適

Wonderful Stretch
極佳彈性

Fits Different Sizes
包覆各種臀型



Internal Test

廠內測試 (Provisional 臨時)

Extension
伸長率

M&S P15A 1.5 kg

197%

Length
長度

Width
闊度

342%

Pilling Resistance
起毛球性

BS 5811 10800 rev.

4-5 Grade

Modulus 40%
彈性模數 40%

M&S P15A 1.5 kg

70g

30g

* Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited

INORGANIC PARTICLES
無機粉體
(includes modified bamboo charcoal 包含改性竹炭粉末)

MH186

Suitable for
Men's & Women's Underwear / Activewear
男、女裝內衣 / 運動服
優質選擇

grandCOT
Grand technology in textiles derives Comfortable, Outstanding and Tender experience.

Multifunctional Fabric 多功能布

Far Infrared 遠紅外線 / **Negative Ions Emission 負離子發射** / **Bacteriostatic 抑菌** / **UV Protection 防紫外光** / **Breathable 吸濕透氣**

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Health Care 保健功能

Heat is transferred and released as FIR.
體熱轉化成遠紅外線同時釋放遠紅外線能量。

FIR enters skin and heats up body. This improves blood circulation and raise oxygen level in blood. These can enhance metabolism and delay aging problem.
遠紅外線進入肌膚，加熱身體。此舉能促進血液循環和提升血液中帶氧含量，加強新陳代謝並延遲衰老問題。



Far-Infrared (FIR) 遠紅外線


FIR fabric traps heat and absorb heat.
熱遠紅外線布料阻止熱力流失同時吸收熱力。

Heat release from skin surface.
熱力由肌膚表面散發。

Negative Ions Emission 負離子發射

Body age when body cells accumulate free radical damage over time through natural human physiological process and the environment. Stress, smoking, alcohol or air pollutants may be the cause of free radicals. Negative ions helps to balance and prevent oxidation by neutralising free radicals in our cells. As a result, cells are revitalised and immunity are strengthened.

正常新陳代謝過程，人體內細胞會被自由基破壞。生活壓力、抽煙、酗酒或空氣污染等，都是產生自由基的原因。負離子則可以透過離子中和，幫助平衡和防止細胞氧化。因此，活化細胞並增強人體免疫力。




Accumulation of DNA damage leads to cell death which can cause premature ageing or cancer.
體內累積的脫氧核糖核酸增加會造成細胞死亡，引發提前衰老或患癌風險。

This atom is now neutralized. This reduces risk of sickness and disease.
原子在此時已獲中和，因此能減少疾病發生的機會。

Bacteriostatic & Anti-Odor 抑菌抑臭功能

grandCOT multifunctional yarn can inhibit bacterial growth, reduce possibility of bacterial infection and the unpleasant smell caused by it.
多功能紗線能抑制細菌生長，減少細菌感染及細菌引起的異味。



UV Protection 防紫外線功能

UV rays age skin cells and damage their DNA. These rays are linked to long-term skin damage such as wrinkles. Grandcot multifunctional yarn protect skin from harmful UV rays. Therefore, application of this yarn on sportswear may protect skin from damages caused by UV rays.

紫外線使皮膚細胞衰老並破壞它們的DNA。長期可損害皮膚形成皺紋。錦康紗多功能布能有效對抗紫外線。應用在運動服上可有效防止紫外線傷害皮膚。



All rights reserved by Sun Hing Textiles (Hong Kong) Limited



INORGANIC PARTICLES
無機粉體
(includes modified bamboo charcoal 包含改性竹炭粉末)

MH186-A

grandCOT
Grand technology in textiles derives Comfortable, Outstanding and Tender experience.

Multifunctional Fabric 多功能布

Far Infrared 遠紅外線 / Negative Ions Emission 負離子發射 / Bacteriostatic 抑菌 / UV Protection 防紫外光 / Breathable 吸濕透氣 / Perfect for Women's Brief 女裝內褲 最佳選擇

All rights reserved by Sun Hing Textiles (Hong Kong) Limited

Health Care 保健功能

Heat is transferred and released as FIR.
體熱轉化成遠紅外線同時釋放遠紅外線能量。

FIR enters skin and heats up body. This improves blood circulation and raise oxygen level in blood. These can enhance metabolism and delay aging problem.
遠紅外線進入肌膚，加熱身體。此舉能促進血液循環和提升血液中帶氧含量。加強新陳代謝並延遲衰老問題。



Far-Infrared (FIR) 遠紅外線


FIR fabric traps heat and absorb heat.
熱遠紅外線布料阻止熱力流失同時吸收熱力。

Heat release from skin surface.
熱力由肌膚表面散發。

Negative Ions Emission 負離子發射

Body age when body cells accumulate free radical damage over time through natural human physiological process and the environment. Stress, smoking, alcohol or air pollutants may be the cause of free radicals. Negative ions helps to balance and prevent oxidation by neutralising free radicals in our cells. As a result, cells are revitalised and immunity are strengthened.

正常新陳代謝過程，人體內細胞會被自由基破壞。生活壓力、抽煙、酗酒或空氣污染等，都是產生自由基的原因。負離子則可以透過離子中和，幫助平衡和防止細胞氧化。因此，活化細胞並增強人體免疫力。



Bacteriostatic & Anti-Odor 抑菌抑臭功能

grandCOT multifunctional yarn can inhibit bacterial growth, reduce possibility of bacterial infection and the unpleasant smell caused by it. 多功能紗線能抑制細菌生長，減少細菌感染及細菌引起的異味。



E. Coli 大腸桿菌



Staphylococcus aureus 金黃葡萄球菌



Candida albicans 白色念珠菌

UV Protection 防紫外線功能

UV rays age skin cells and damage their DNA. These rays are linked to long-term skin damage such as wrinkles. Grandcot multifunctional yarn protect skin from harmful UV rays. Therefore, application of this yarn on sportswear may protect skin from damages caused by UV rays.


紫外線使皮膚細胞衰老並破壞它們的DNA。長期可損害皮膚形成皺紋。錦康紗多功能布能有效對抗紫外線。應用在運動服上可有效防止紫外線傷害皮膚。



All rights reserved by Sun Hing Textiles (Hong Kong) Limited

grandCOT
Grand technology in textiles derives Comfortable, Outstanding and Tender experience.

Multifunctional Fabric 多功能布



Free Cut Fabric
任意裁布料



One Size Fit Most
一碼通穿

INORGANIC PARTICLES
無機粉體
(includes modified bamboo charcoal 包含改性竹炭粉末)



MOISTURE WICKING
吸濕排汗



UV PROTECTION
防紫外線




BACTERIOSTATIC
抑菌



ODOR RESISTANT
抑臭



FIR RADIATION
遠紅外線發射



NEGATIVE ION
EMISSION
負離子發射

SUN HING



Best Selling 最暢銷

Ultra-fine 精緻32針雙面布織物系列 E32 Interlock Collection



One Size Fit Most
一碼通穿



8-ways Stretch
八面彈性



Free Cut
任意裁



Deodorizing
除臭



UV-protection
抗紫外光

Different from other sport fabrics in the market
The Premium Choice of Powerful Stretchability & Recovery

有別於市場上的運動布，32針系列
高彈性及回彈力的優質選擇

All rights reserved by Sun Hing Textiles (Hong Kong) Limited

MH224




Best Selling 最暢銷

Ultra-fine 精緻32針雙面布織物系列 E32 Interlock Collection

Different from other sport fabrics in the market
The Premium Choice of Powerful Stretchability & Recovery

有別於市場上的運動布，32針系列
高彈性及回彈力的優質選擇



Unique Process Technology
Delivers Superior Soft & All-day Comfort
獨特織造技術 提供優質柔軟舒適



High Power for Supportive Bra Set
傲人的彈性 適合支撐型內衣

Suitable for: Bra, Panty, Daily shaping suit, Lightweight sport styles
建議用途：文胸，內衣褲，輕盈塑身服，輕薄運動風格系列



One Size Fit Most
一碼通穿



Stretch & Modulus & Recovery

伸長率、彈性模數及回復率

#	Stretch 伸長率 (LTD 03, 7.5 Lbs)	Modulus 彈性模數 (LTD 03, 7.5 Lbs)				Recovery 回復率 (LTD 03, 7.5Lbs, Manual 30s)
		20 %	40 %	60 %	80 %	
Length 長度	167%	0.16 Lbs	0.37 Lbs	0.53 Lbs	0.76 Lbs	96 %
Width 闊度	269 %	0.03 Lbs	0.19 Lbs	0.37 Lbs	0.54 Lbs	94 %

TRUE COMFORT • ZERO PRESSURE
真正舒適零束縛



* Test results are for reference only. 測試結果只供參考


All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Velvet-like
Soft Touch
絲絨柔軟



8-ways Stretch
八面彈性



Unique Process Technology
Delivers Superior Soft & All-day Comfort
獨特織造技術 提供優質柔軟舒適



High Power for Supportive Bra Set
傲人的彈性 適合支撐型內衣



Pre-eminent Free Cut Fabric
卓越任意裁布料

SUN HING

E50 True Comfort

Interlock Fabric 50針貼身舒適雙面布



Soft Touch
柔軟手感



Flawless
Full-coverage Fit
輕巧貼身無壓力



Lightweight
輕薄



UV-protection
抗紫外光



8-ways Stretch
八面彈性

Full-dull
啞光

MH193-B



From in to out wrapping
by our ultra- softness fabric
從內到外的超柔軟親膚體驗

All rights reserved by Sun Hing Textiles (Hong Kong) Limited

Bacteriostatic 抗菌

Testing Method 方法標準
GB 15979-2002

Test Results 檢測結果	
Escherichia Coli 大腸桿菌抑制率	Not Detected 未檢出
Pseudomonas Aeruginosa 綠膿桿菌	Not Detected 未檢出
Staphylococcus Aureus 金黃葡萄球菌抑制率	Not Detected 未檢出
Streptococcus Haemolyticus 溶血性鏈球菌	Not Detected 未檢出

Transmittance or Blocking of Erythemally Weighted Ultraviolet Radiation Through Fabric
(AATCC 183 / ASTM D6603)

	(Original / Dry) (原本 / 乾的布)	(Original / Wet) (原本 / 濕的布)
Ultraviolet Protection Factor Value 紫外線保護指數	443	324
UV-A Transmittance 紫外線-A 穿透指數	1.07%	1.35%
UV-B Transmittance 紫外線-B 穿透指數	<1%	<1%
UV-A Blocking 紫外線-A 阻隔率	98.9%	98.7%
UV-B Blocking 紫外線-B 阻隔率	99.9%	99.8%

Internal Test 廠內測試

Elongation, Modulus & Recovery

機拉伸長率, 彈性模數及回復率

#	Elongation 機拉伸長率 (ASTM D4964)		Modulus 彈性模數 (ASTM D4964)			
			30 %		50 %	
	Minimum 最小值	Maximum 最大值	Minimum 最小值	Maximum 最大值	Minimum 最小值	Maximum 最大值
Length 長度	92 %	118 %	0.33 Lb	0.55 Lb	0.64 Lb	1.06 Lb
Width 闊度	167 %	213 %	0.13 Lb	0.23 Lb	0.29 Lb	0.49 Lb

UPF
紫外線防護係數

Protection Category
防護級別

15 - 24
25 - 39
≥ 40

Good 良好
Very Good 非常好
Excellent 優秀

UPF Rating
紫外線防護係數

50+

TRUE COMFORT - ZERO PRESSURE
真正舒適零束縛

只需輕柔力度
立即加倍延伸
Form-fitting Compression

** This third-party certification report is entrusted by Bureau Veritas Certification Ltd.

** 以上數據委託必維國際檢驗集團作為第三方認證。

* Test results are for reference only. 測試結果只供參考。
All rights reserved by Sun Hing Textiles (Hong Kong) Limited



HEAT TRANSFER PRINTED POLYESTER

彈性熱轉移印花滌綸



ECO FRIENDLY
環保



SHORTEN
PRODUCTION LEAD TIME
縮短生產時間



4-WAY STRETCH
四面彈性



SOFT
柔軟



MH187-A

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Extraordinary comfort &
not easy to shift in any movements
360度貼身舒適, 任何動作不移位

Stretch
伸長率
LTD 03 7.5 Lbs

Recovery
回復率

LTD 03 7.5 Lbs, Manual 30s

Warp
經向

195%

Weft
緯向

351%

Modulus
彈性模數
LTD 03 7.5 Lbs

20%

Warp
經向

0.07Lbs

Weft
緯向

0.02Lbs

40%

0.26Lbs

0.06Lbs

60%

0.42Lbs

0.12Lbs

80%

0.59Lbs

0.22Lbs


* Test results are for reference only. 測試結果只供參考。




ECO FRIENDLY
環保

1/ Greatly save water, energy and steam
大幅度節省水、電和蒸氣


2/ Save production of screens
省卻製作網版



Saved 節省
100%



Saved 節省
85%



Saved 節省
100%



HEAT TRANSFER PRINTED POLYESTER

彈性熱轉移印花滌綸



ECO FRIENDLY
環保



SHORTEN
PRODUCTION LEAD TIME
縮短生產時間



4-WAY STRETCH
四面彈性



SOFT
柔軟



MH187-B

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Extraordinary comfort &
not easy to shift in any movements
360度貼身舒適，任何動作不移位

Warp
經向

Weft
緯向

Stretch
伸長率
LTD 03 7.5 Lbs

Recovery
回復率
LTD 03 7.5 Lbs, Manual 30s

195%

351%

Modulus
彈性模數
LTD 03 7.5 Lbs

Warp
經向

Weft
緯向

20%

0.07Lbs

0.02Lbs

40%

0.26Lbs

0.06Lbs

60%

0.42Lbs

0.12Lbs

80%

0.59Lbs

0.22Lbs


*Test results are for reference only. 測試結果只供參考。




ECO FRIENDLY
環保

1/ Greatly save water, energy and steam
大幅度節省水、電和蒸氣


2/ Save production of screens
省卻製作網版



Saved 節省
100%



Saved 節省
85%



Saved 節省
100%



MH187-C



360° STRETCH POLYESTER

360° 彈性滌綸



4-WAY STRETCH
四面彈性



SOFT
柔軟

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Extraordinary comfort &
not easy to shift in any movements
360度貼身舒適，任何動作不移位

Warp
經向

Weft
緯向

Stretch
伸長率
LTD 03 7.5 Lbs

Recovery
回復率
LTD 03 7.5 Lbs, Manual 30s

Modulus
彈性模數
LTD 03 7.5 Lbs

Warp
經向

Weft
緯向

20%

0.10Lbs

0.01Lbs

40%

0.27Lbs

0.08Lbs

60%

0.41Lbs

0.16Lbs

80%

0.61Lbs

0.22Lbs

*Test results are for reference only. 測試結果只供參考。

Dope Dyed Nylon

原漿調色尼龍



eco-friendly 環保



resources saving 節省資源



good color fastness 良好色牢度



All rights reserved by Sun Hing Textiles (Hong Kong) Limited

MH191



ONE SIZE FITS ALL
均碼·適合全部身型



Excellent Stretchability and Elongation
高彈性及高回彈力



Soft
手感柔軟

Eco-Efficiency: Dope Dyed Nylon VS Normal Nylon

原漿調色尼龍與普通尼龍環保效益比較

91.74%

Actual Water Reduction
實際減少耗水及污水產出量

61.35%

Actual Electricity Reduction
實際減少用電量

49.51%

Actual Carbon Footprint Reduction
實際減少總碳足跡

99.91%

Actual Chemicals Reduction
實際減少總化學品

90.92%

Actual Steam Reduction
實際減少蒸汽使用量

** This third-party certification report is entrusted by Intertek Testing Services Ltd.

** 以上數據委託天祥質量技術服務有限公司作為第三方認證。

** Report no. #SHAH01109942S5 pg.16&17, October 15th, 2019

** 報告編號 #SHAH01109942S5 第16及17頁, 2019年10月15日

Lightweight Heat Retention 輕薄高彈保暖布

MH222-A

ULTRA-FINE FABRIC



桃質絨面



輕巧貼身



輕柔保暖



360度彈性

Attractive Price!
價格吸引

PERFECT FOR THERMAL UNDERWEAR 保暖內衣的首選

LIGHTWEIGHT COVERAGE 輕薄包覆 Lightweight yet opaque 輕薄不透膚

Heat Retaining
保溫性

CLO Value

克羅值

GB/T 11048-2008 A

0.087

** This third-party certification report is entrusted by Tianfangbiao Standardization Certification & Testing Co., Ltd.
** 以上數據委託天紡標檢測認證股份有限公司作為第三方認證。

Ultimate Fine Yarn 微纖維紗線

Unique Knitting Know-how 獨特織造工藝

gives fabric 給予

360° Stretch 360度彈性

& Flawless Compression 貼身零著感

featuring Garment

Excellent wearing
comfortability
超舒適穿著感



	Length 直向		Width 橫向	
Stretch 伸長率	LTD 03 7.5 Lbs	304 %		388 %
Modulus 彈性模數	LTD 03 7.5 Lbs	20% :	0.02 Lbs	0.01 Lbs
		40% :	0.13 Lbs	0.04 Lbs
		60% :	0.24 Lbs	0.13 Lbs
		80% :	0.35 Lbs	0.20 Lbs
Recovery 回復率	LTD 03 7.5 Lbs, Manual 30s	95 %		93 %

* Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Lightweight Heat Retention 輕薄高彈保暖布

MH222-B

ULTRA-FINE FABRIC



桃質絨面



輕巧貼身



輕柔保暖




360度彈性

Attractive Price!
價格吸引

PERFECT FOR THERMAL UNDERWEAR 保暖內衣的首選

LIGHTWEIGHT COVERAGE 輕薄包圍 Lightweight yet opaque 輕薄不透膚

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Ultimate Fine Yarn 微纖維紗線

Unique Knitting Know-how 獨特織造工藝
gives fabric 給予

360° Stretch 360度彈性
& Flawless Compression 貼身零著感

featuring Garment

Excellent wearing
comfortability
超舒適穿著感



		Length 直向	Width 橫向
Stretch 伸長率	LTD 03 7.5 Lbs	281 %	385 %
Modulus 彈性模數	LTD 03 7.5 Lbs	20% :	0.05 Lbs
		40% :	0.18 Lbs
		60% :	0.30 Lbs
		80% :	0.40 Lbs
Recovery 回復率	LTD 03 7.5 Lbs, Manual 30s	95 %	94 %

* Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Lightweight Heat Retention 輕薄高彈保暖布

MH222-C

Multifunction 多功能



MOISTURE WICKING
吸濕排汗



UV PROTECTION
防紫外線



BACTERIOSTATIC
抑菌



ODOR RESISTANT
防臭



FIR RADIATION
遠紅外線輻射



NEGATIVE ION
EMISSION
負離子發射

grandCOT[®]
Grand technology in textiles derives Comfortable, Outstanding and Tender experience.



棉感柔軟



輕巧貼身



輕柔保暖



360度彈性

PERFECT FOR THERMAL UNDERWEAR 保暖內衣的首選

LIGHTWEIGHT COVERAGE 輕薄包圍 Lightweight yet opaque 輕薄不透膚

All rights reserved by Sun Hing Textiles (Hong Kong) Limited

Health Care 保健功能

Heat is transferred and released as FIR.
體熱轉化成遠紅外線同時釋放遠紅外線能量。

FIR enters skin and heats up body. This improves blood circulation and raise oxygen level in blood. These can enhance metabolism and delay aging problem.
遠紅外線進入肌膚，加熱身體。此舉能促進血液循環和提升血液中帶氧量，加強新陳代謝並延遲衰老問題。

Far-Infrared (FIR) 遠紅外線

FIR fabric traps heat and absorb heat.
熱遠紅外線布料阻止熱力流失同時吸收熱力。


Heat release from skin surface.
熱力由肌膚表面散發。



Negative Ions Emission 負離子發射

Body age when body cells accumulate free radical damage over time through natural human physiological process and the environment. Stress, smoking, alcohol or air pollutants may be the cause of free radicals. Negative ions helps to balance and prevent oxidation by neutralising free radicals in our cells. As a result, cells are revitalised and immunity are strengthened.

正常新陳代謝過程，人體內細胞會被自由基破壞。生活壓力、抽煙、酗酒或空氣污染等，都是產生自由基的原因。負離子則可以透過離子中和，幫助平衡和防止細胞氧化。因此，活化細胞並增強人體免疫力。



Accumulation of DNA damage leads to cell death which can cause premature ageing or cancer. 體內受損的脫氧核糖核酸增加會造成細胞死亡，引發提前衰老或癌變風險。

Bacteriostatic & Anti-Odor
抑菌抑臭功能

grandCOT multifunctional yarn can inhibit bacterial growth, reduce possibility of bacterial infection and the unpleasant smell caused by it.
多功能布能抑制細菌生長，減少細菌感染及細菌引起的異味。



E. Coli
大腸桿菌



Staphylococcus
aureus
金黃葡萄球菌



Candida albicans
白色念珠菌

UV Protection
防紫外線功能

UV rays age skin cells and damage their DNA. These rays are linked to long-term skin damage such as wrinkles. Grandcot multifunctional yarn protect skin from harmful UV rays. Therefore, application of this yarn on sportswear may protect skin from damages caused by UV rays.

紫外線使皮膚細胞衰老並破壞它們的DNA。長期可損害皮膚形成皺紋。錦康紗多功能布能有效抵抗紫外線。應用在運動服上可有效防止紫外線傷害皮膚。



All rights reserved by Sun Hing Textiles (Hong Kong) Limited



INORGANIC PARTICLES
無機粉體
(includes modified bamboo charcoal 包含改性竹炭粉末)

MH186-A

grandCOT®
Grand technology in textiles derives Comfortable, Outstanding and Tender experience.

Multifunctional Fabric 多功能布

Far Infrared
遠紅外線

Negative Ions Emission
負離子發射

Bacteriostatic
抑菌

UV Protection
防紫外光

Breathable
吸濕透氣

Perfect for
Women's Brief
女裝內褲
最佳選擇

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



MH223-A



NEW GENERATION 新一代
STRETCH 高彈布系列

E44



Silky Smooth
絲質柔滑



360°彈性



輕薄柔軟

Embracing Comfort 全方位擁抱舒適



All rights reserved by Sun Hing Textiles (Hong Kong) Limited

Health Care 保健功能

Heat is transferred and released as FIR.
體熱轉化成遠紅外線同時釋放遠紅外線能量。

FIR enters skin and heats up body. This improves blood circulation and raise oxygen level in blood. These can enhance metabolism and delay aging problem.
遠紅外線進入肌膚，加熱身體。此舉能促進血液循環和提升血液中帶氧含量。加強新陳代謝並延遲衰老問題。



Far-Infrared (FIR) 遠紅外線


FIR fabric traps heat and absorb heat.
熱遠紅外線布料阻止熱力流失同時吸收熱力。

Heat release from skin surface.
熱力由肌膚表面散發。

Negative Ions Emission 負離子發射

Body age when body cells accumulate free radical damage over time through natural human physiological process and the environment. Stress, smoking, alcohol or air pollutants may be the cause of free radicals. Negative ions helps to balance and prevent oxidation by neutralising free radicals in our cells. As a result, cells are revitalised and immunity are strengthened.

正常新陳代謝過程，人體內細胞會被自由基破壞。生活壓力、抽煙、酗酒或空氣污染等，都是產生自由基的原因。負離子則可以透過離子中和，幫助平衡和防止細胞氧化。因此，活化細胞並增強人體免疫力。



Bacteriostatic & Anti-Odor 抑菌抑臭功能

grandCOT multifunctional yarn can inhibit bacterial growth, reduce possibility of bacterial infection and the unpleasant smell caused by it. 多功能紗線能抑制細菌生長，減少細菌感染及細菌引起的異味。



E. Coli
大腸桿菌



Staphylococcus aureus
金黃葡萄球菌



Candida albicans
白色念珠菌

UV Protection 防紫外線功能

UV rays age skin cells and damage their DNA. These rays are linked to long-term skin damage such as wrinkles. Grandcot multifunctional yarn protect skin from harmful UV rays. Therefore, application of this yarn on sportswear may protect skin from damages caused by UV rays.

紫外線使皮膚細胞衰老並破壞它們的DNA。長期可損害皮膚形成皺紋。錦康紗多功能布能有效對抗紫外線。應用在運動服上可有效防止紫外線傷害皮膚。



grandCOT Fabric
錦康紗多功能布

Skin 肌膚

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Internal Test 廠內測試

Adjust the Horizontal / Vertical Extension to be a More Appropriate Level
調節橫 / 直向拉力比例至更合適水平

#	Extension 伸長率 (M&S P15A 1.5 kg)	Stretch 伸長率 (LTD Q3 7.5 Lbs)	Modulus 彈性模數 40%		Recovery 回復率 (LTD Q3 7.5 Lbs/Manual 30s)
			(M&S P15A 1.5 kg)	(LTD Q3 7.5 Lbs)	
Length 長度	207%	245%	70g	0.21 Lbs	95%
Width 闊度	280%	303%	40g	0.17 Lbs	95%

*Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



NEW GENERATION 新一代

E44
STRETCH 高彈布系列



MH223-B

Embracing Comfort 全方位擁抱舒適



NEW GENERATION 新一代

E44
STRETCH 高彈布系列



MH223-C

Embracing Comfort 全方位擁抱舒適



Internal Test 廠內測試

Adjust the Horizontal / Vertical Extension to be a More Appropriate Level
調節橫 / 直向拉力比例至更合適水平

#	Extension 伸長率 (M&S P15A 1.5 kg)	Stretch 伸長率 (LTD 03 7.5 Lbs)	Modulus 彈性模數 40%		Recovery 回復率 (LTD 03 7.5 Lbs, Manual 30s)
			(M&S P15A 1.5 kg)	(LTD 03 7.5 Lbs)	
Length 長度	218%	255%	80g	0.24Lbs	94%
Width 闊度	301%	336%	50g	0.13Lbs	93%

* Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Internal Test 廠內測試

Adjust the Horizontal / Vertical Extension to be a More Appropriate Level
調節橫 / 直向拉力比例至更合適水平

#	Extension 伸長率 (M&S P15A 1.5 kg)	Stretch 伸長率 (LTD 03 7.5 Lbs)	40%		Recovery 回復率 (LTD 03 7.5 Lbs, Manual 30s)
			(M&S P15A 1.5 kg)	(LTD 03 7.5 Lbs)	
Length 長度	242%	284%	80g	0.21 Lbs	92%
Width 闊度	294%	338%	50g	0.14Lbs	92%

* Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



NEW GENERATION 新一代

E44
STRETCH 高彈布系列



360°彈性



輕巧貼身



All rights reserved by Sun Hing Textiles (Hong Kong) Limited

MH223-D

Embracing Comfort 全方位擁抱舒適



NEW GENERATION 新一代

E28
STRETCH 高彈布系列



360°彈性




輕巧貼身



All rights reserved by Sun Hing Textiles (Hong Kong) Limited

MH223-E

Embracing Comfort 全方位擁抱舒適



Internal Test 廠內測試

Adjust the Horizontal / Vertical Extension to be a More Appropriate Level
調節橫 / 直向拉力比例至更合適水平

#	Extension 伸長率 (M&S P15A 1.5 kg)	Stretch 伸長率 (LTD 03 7.5 Lbs)	40%		Recovery 回復率 (LTD 03 7.5 Lbs/Manual 30s)
			(M&S P15A 1.5 kg)	(LTD 03 7.5 Lbs)	
Length 長度	183%	239%	60g	0.40Lbs	93%
Width 闊度	275%	338%	70g	0.17Lbs	93%

* Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Internal Test 廠內測試

Adjust the Horizontal / Vertical Extension to be a More Appropriate Level
調節橫 / 直向拉力比例至更合適水平

#	Extension 伸長率 (M&S P15A 1.5 kg)	Stretch 伸長率 (LTD 03 7.5 Lbs)	Modulus 彈性模數 40%		Recovery 回復率 (LTD 03 7.5 Lbs/Manual 30s)
			(M&S P15A 1.5 kg)	(LTD 03 7.5 Lbs)	
Length 長度	176%	190%	60g	0.17Lbs	95%
Width 闊度	226%	244%	40g	0.11Lbs	94%

* Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



NEW GENERATION 新一代

E28

STRETCH 高彈布系列



Cotton-like
棉感柔軟



360° 彈性



輕巧貼身

Embracing Comfort 全方位擁抱舒適



All rights reserved by Sun Hing Textiles (Hong Kong) Limited

One Size Fit Most
自由尺碼

Zero Feel, Zero Pressure
零感體驗

Internal Test 廠內測試

1 : 1 Perfect Proportion
近乎 1 : 1 完美比例

#	Extension 伸長率 (M&S P15A 1.5 kg)	Stretch 伸長率 (LTD 03 7.5 Lbs)	Modulus 彈性模數 40%		Recovery 回復率 (LTD 03 7.5 Lbs, Manual 30s)
			(M&S P15A 1.5 kg)	(LTD 03 7.5 Lbs)	
Length 長度	219%	239%	50g	0.19Lbs	95%
Width 闊度	221%	243%	50g	0.18Lbs	95%

* Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited

SUN HING
TEXTILES (HONG KONG) LIMITED

Jacquard
提花

MH168-B



ONE SIZE FITS ALL
POLYESTER STRETCH 360°

Better Than Normal Polyester Fabric

高彈滌綸織物
彈性優於一般滌綸



FOUR-WAY STRETCH SOFT TOUCH DRY TOUCH GOOD RECOVERY
All rights reserved by Sun Hing Textiles (Hong Kong) Limited

具價格優勢

Competitive Price

高彈性及高回彈力

Excellent Stretchability and Recovery

乾爽手感

Dry & Fresh Handfeel

適合背心及褲仔

Suitable for Vest & Panty

完美經緯拉力配搭

Weft & Warp Direction with Perfect Stretchability

PERFECT STRETCHABILITY IN PROPORTION TO WARP DIRECTION

完美拉力比例



Extraordinary Comfort
&

Not Easy To Shift In Any Movements!

穿著合身，衣服不容易因日常動作移位



24
HOUR
COMFORT
全天候舒適

SUPER FIT: STRETCH 360°
超合身：360°彈性

Elongation & Modulus & Recovery
機拉伸長率，彈性模數及回復率

#	Elongation 機拉伸長率	Modulus 彈性模數			Recovery 回復率
		30%	50%	70%	
Warp 經向	166%	0.09Lb	0.21Lb	0.36Lb	95%
Weft 緯向	255%	0.002Lb	0.10Lb	0.17Lb	94%

(ASTM D 4964, 8.8 Lbs/3", Zwick tentile tester)

SUN HING
TEXTILES (HONG KONG) LIMITED

MH176

Modal Stretch 360°

One Size Fits All 360° 彈性木代爾

Excellent Stretchability & Recovery
高彈性及回彈力

Super Soft Handfeel
超柔軟手感



Award 榮獲

LENZING INNOVATION AWARDS 2017
2017 蘭精創新獎

The Best Innovative Modal
最佳創新獎

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



LENZING INNOVATION AWARDS 2017
2017 蘭精創新獎

About Lenzing Innovation Awards 蘭精創新獎介紹

Lenzing Innovation Awards 2017 was held in Korea. Over 200 fabrics had been submitted to the competition. Participants were mainly from Taiwan, Hong Kong, Korea, Japan and more. Sun Hing's SJ-13699(SG)WT was awarded as "The Best Innovative Modal".

蘭精公司2017於韓國舉行創新布料評選活動，每年都吸引來自台灣、香港、韓國、日本、越南及世界各地不同的廠商參與評選。2017年，參加評選的面料一共超過200塊，而新興公司之貨號SJ-13699(SG)WT則榮獲最佳創新獎。



The Best Innovative Modal
最佳創新獎

Elongation & Modulus & Recovery

機拉伸長率，彈性模數及回復

Weft & Warp Elongation in 1:1 Perfect Proportion
近乎完美 1:1 橫直向拉力

#	Elongation 機拉伸長率 (LTD 03, 7.5 Lbs)	Modulus 彈性模數 (LTD 03, 7.5 Lbs)				Recovery 回復率 (LTD 03, 7.5Lbs, Manual 30s)
		20 %	40 %	60 %	80 %	
Length 長度	217 %	0.03 Lbs	0.20 Lbs	0.31 Lbs	0.43 Lbs	91 %
Width 闊度	212 %	0.02 Lbs	0.16 Lbs	0.31 Lbs	0.42 Lbs	92 %

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Airy Sensation

棉感貼身 · 高彈透氣 Nylon Stretch 360°

One Size Fits All 360° 彈性尼龍

Freedom of Movement · Feeling akin to Second Skin
舒適自在 細薄親膚

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Airy Sensation

棉感貼身 · 高彈透氣 Nylon Stretch 360°

One Size Fits All 360° 彈性尼龍

Freedom of Movement · Feeling akin to Second Skin
舒適自在 細薄親膚

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



Internal Test 廠內測試 (Provisional 臨時)

Pilling Resistance
起毛球性

BS 5811 10800 rev.

4-5 Grade



Internal Test 廠內測試 (Provisional 臨時)

Pilling Resistance
起毛球性

BS 5811 10800 rev.

4-5 Grade

Elongation & Modulus & Recovery

機拉伸長率、彈性模數及回復

Weft & Warp Elongation in 1:1 Perfect Proportion
近乎完美 1:1 橫直向拉力

#	Extension 伸長率 (M&S P15A 1.5 kg)	Stretch 伸長率 (LTD 03 7.5 Lbs)	Modulus 彈性模數 40%		Recovery 回復率 (LTD 03 7.5 Lbs, Manual 30s)
			(M&S P15A 1.5 kg)	(LTD 03 7.5 Lbs)	
Length 長度	237%	288%	100g	0.23Lbs	94%
Width 闊度	234%	291%	100g	0.17Lbs	94%

* Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited

Elongation & Modulus & Recovery

機拉伸長率、彈性模數及回復

Weft & Warp Elongation in 1:1 Perfect Proportion
近乎完美 1:1 橫直向拉力


#	Extension 伸長率 (M&S P15A 1.5 kg)	Stretch 伸長率 (LTD 03 7.5 Lbs)	Modulus 彈性模數 40%		Recovery 回復率 (LTD 03 7.5 Lbs, Manual 30s)
			(M&S P15A 1.5 kg)	(LTD 03 7.5 Lbs)	
Length 長度	237%	288%	100g	0.23Lbs	94%
Width 闊度	234%	291%	100g	0.17Lbs	94%

* Test results are for reference only. 測試結果只供參考。

All rights reserved by Sun Hing Textiles (Hong Kong) Limited



ONE SIZE FITS ALL



360° Stretch Jacquard Fabric

360°彈性提花布

■ Excellent Stretchability and Elongation
高彈性及高回彈力

■ Soft & Light
手感輕柔

■ Jacquard Fabric - Mesh
提花布料 - 網布

■ Good Drapeability
懸垂性好

■ Good Breathability
透氣性能好

■ Dimensionally Stable with Low Shrinkage Rate
穩定性好，縮水率低



ONE SIZE FITS ALL



360° Stretch Jacquard Fabric

360°彈性提花布

■ Excellent Stretchability and Elongation
高彈性及高回彈力

■ Soft & Light
手感輕柔

■ Jacquard Fabric - Mesh
提花布料 - 網布

■ Good Drapeability
懸垂性好


■ Good Breathability
透氣性能好

■ Dimensionally Stable with Low Shrinkage Rate
穩定性好，縮水率低





ONE SIZE FITS ALL



360° Stretch Fabric

360° 彈性布

Excellent Stretchability and Elongation
高彈性及高回彈力

Soft & Light
手感輕柔

Jacquard Fabric - Mesh
提花布料 - 網布

Good Drapeability
懸垂性好

Good Breathability
透氣性能好

Dimensionally Stable with Low Shrinkage Rate
穩定性好，縮水率低



ONE SIZE FITS ALL



360° Stretch Fabric

360° 彈性布

Excellent Stretchability and Elongation
高彈性及高回彈力

Soft & Light
手感輕柔

Jacquard Fabric - Mesh
提花布料 - 網布

Good Drapeability
懸垂性好

Good Breathability
透氣性能好

Dimensionally Stable with Low Shrinkage Rate
穩定性好，縮水率低

